L Number	Hits	Search Text	DB	Time stamp	
-	2924		USPAT;	2003/12/23 12	2:16
i		711/141.ccls. or 711/146.ccls. or	US-PGPUB;		
		711/148.ccls. or 711/153.ccls.	EPO; JPO; DERWENT;		
-	304	712/13.ccls. or 712/16-17.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/23 12	2:19
-	11615	processor with (segment or cluster)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/23 12	2:21
			EPO; JPO; DERWENT; IBM_TDB	2000/12/20	
_	1746	((external or second or two) near4 cache) with (tag or directory)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 14	4:31
-	4767	snoop\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/23 12	2:27
-	101	(processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/30 1	7:34
-	43	(711/3.ccls. or 711/119-122.ccls. or 711/141.ccls. or 711/146.ccls. or 711/148.ccls. or 711/153.ccls.) and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/23 14	4:30
-	ìз	((processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3) ((711/3.ccls. or 711/119-122.ccls. or 711/141.ccls. or 711/146.ccls. or 711/148.ccls. or 711/153.ccls.) and ((processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3)) and	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 14	4:30
-	977	(@ad<=19960220 or @rlad<=19960220) 711/144-145.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 14	1:29
_	23	711/144-145.ccls. and ((processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/23 14	4:31
-	9	(711/144-145.ccls. and ((processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3)) and (@ad<=19960220 or @rlad<=19960220)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 14	4:36
	3	((711/144-145.ccls. and ((processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3)) and (@ad<=19960220) or @rlad<=19960220)) not (((711/3.ccls. or 711/119-122.ccls. or 711/141.ccls. or 711/146.ccls. or 711/148.ccls. or 711/153.ccls.) and ((processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3)) and (@ad<=19960220 or @rlad<=19960220))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/23 14	4:30

0 (712/13.ccls. or 712/16-17.ccls.) and (((external or second or two) neard cache) with (tag or directory)) and snoop\$3 1746 ((external or second or two or (712/13.ccls. or 712/16-17.ccla.)) neard cache) with (tag or directory) and (((external or second or two or (712/13.ccls. or 712/16-17.ccls.)) neard (cache) with (tag or directory) with (integrated or saic) ((external or second or two or (712/13.ccls. or 712/16-17.ccls.)) neard (((external or second or two or (712/13.ccls. or 712/16-17.ccls.)) neard (((external or second or two or (712/13.ccls. or 712/16-17.ccls.)) neard (((external or second or two or (712/13.ccls. or 712/16-17.ccls.)) neard (((external or second or two or (712/13.ccls. or 712/16-17.ccls.)) neard ((external or second or two) or (712/13.ccls. or 712/16-17.ccls.)) neard ((external or second or two) neard cache) with (tag or directory)) with (integrated or saic) ((external or second or two) neard cache) ((external or second or two) ((external or			_		•
(((external or second or two) near4 cache) EFO; JPO;	-	0	(712/13.ccls. or 712/16-17.ccls.) and	USPAT;	2003/12/23 14:31
With (tag or directory) and snoop\$3 DERMENT; SPATE DERMENT; DERMENT; DERMENT; DERMENT; DERMENT; DERMENT; DERMENT; DERMENT; DERMENT; DERMENT			((processor with (segment or cluster)) and		
Time					
1746 ((external or second or two or (712/13-10:16.) USPAT, 2003/12/23 14:32 or directory) or directory) or directory) USPAT, USPA			with (tag or directory)) and snoop\$3)		
or 712/16-17.ccls.)) near4 cache) with (tag or directory) - 34 {((external or second or two or (712/313.ccls. or 712/16-17.ccls.)) near4 cache) with (tag or directory) with (segment or cluster)) DERMENT; 1MM TOB USPAT; 1MM TOB USP			(4	-	0000/00/00 14 00
Or directory	-	1746		,	2003/12/23 14:32
Compose Comp					
14			or directory)		
1 ((external or second or two or (712/16-17.ccls.)) near4 (cache) with (tag or directory)) with (integrated or asic) DERMENT; IEM_TDB (((external or second or two or (712/16-17.ccls.)) near4 (((external or second or two or (712/13.ccls.) or 712/16-17.ccls.)) near4 (((external or second or two or (712/13.ccls.) or 712/16-17.ccls.)) near4 ((External or second or two or (712/13.ccls.)) near4 ((External or asic)) and snoop53 ((external or asic)) and snoop53 ((external or second or two) near4 cache) with (tag or directory)) and snoop53 and ((external or second or two) near4 cache) with (tag or directory)) and snoop53 and ((external or second or two) near4 cache) with (tag or directory)) and snoop53 and ((external or second or two) near4 cache) with (tag or directory)) and snoop53 and ((external or second or two) near4 cache) with (tag or directory)) and snoop53 and ((external or second or two) near4 cache) with (tag or directory)) and snoop53 and ((external or second or two) near4 cache) with (tag or directory) and snoop53 and ((external or second or two) near4 cache) ((external or second or two) near4 (external or second or two) ((external or second or two) (external or second or two) ((external or second or				1	
Cache) with (tag or directory) with cache) with (tag or directory) with (integrated or asic) Cache) with (tag or directory) with ((((external or second or two or (712/13.ccls. or 712/16-17.ccls.)) near4 (2003/12/23 14:34 (12/13.ccls.)) near4 (2003/12/23 14:34 (12/13.ccls.)) near4 (2003/12/23 14:34 (12/13.ccls.)) near4 (2003/12/23 14:34 (12/13.ccls.)) near4 (2003/12/23 14:36 (12/13.ccls.)) near4 (12/13.ccls.) near4 (2003/12/23 14:36 (12/13.ccls.)) near4 (12/13.ccls.)	_	34	[[[]]] or second or two or		2003/12/23 14:35
cache) with (tag or directory)) with (integrated or asic) DERMENT; IEM_TDB ((((external or second or two or (712/13.cdls. or 712/16.d-17.cdls.)) near4 (((external or second or two or (712/13.cdls. or 712/16.d-17.cdls.)) near4 (DERMENT; IEM_TDB (12/13.cdls. or 712/16.d-17.cdls.)) near4 (DERMENT; IEM_TDB (12/13.dels. or 712/16.d-17.cdls.)) near4 (DERMENT; IEM_TDB (12/13.dels.)) near4 (neared.) (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 and (((external or second or two) near4 cache) with (tag or directory)) near4 (DERMENT; IEM_TDB (12/13.dels.)) near4 (neared.) (((external or second or two) near4 cache) (((external or second or two) near4 (DERMENT; IEM_TDB ((((external or second or two) near4 (DERMENT; IEM_TDB (((external or second or two) near4 (DERMENT; IEM_TDB (((external or second or two) near4 (DERMENT; IEM_TDB (((external or second or two) nea		34	, , ,	•	2003/12/23 14.33
(integrated or asic)					
1	'				
0 (processor with (segment or cluster)) and (USPAT; (US-PGPUB; EPO; JDO; DERWENT; LIM TDB (lintegrated or asic)) and (lexternal or second or two or possessor with (integrated or asic)) and (lexternal or second or two) near4 cache) uspath (lexternal or second or two) near4 cache) with (tag or directory)) with (lintegrated or asic)			,,	1	
Criz/13.ccls. or 712/16-17.ccls.) near4 cache with (tag or directory) and ((external or second or two) near4 cache) with (tag or directory) and snoop\$3 and (processor with (integrated or asic)) USPAT; US-PGPUB; EPO, JPO, DERMENT; IRM TDB USPAT; US-PGPUB; EPO, JPO, DERMENT	_	0	(processor with (segment or cluster)) and		2003/12/23 14:34
cache with (tag or directory)) with (integrated or asic) DERMENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERM			((((external or second or two or	US-PGPUB;	
Comparison of the processor with (integrated or asic) Comparison of the processor				EPO; JPO;	
- 34257 processor with (integrated or asic) - ((processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory) and snoop53) and (processor with (integrated or asic)) - (((external or second or two) near4 cache) with (tag or directory) and snoop53) and (processor with (integrated or asic)) - ((exdernal or second or two) near4 cache) with (tag or directory) and snoop53) and (processor with (integrated or asic)) and (eadc=19960220) - (6374329.pn. and (processor with (segment or cluster)) - (1 (6374329.pn. and (processor with (segment or cluster)) - (1 (6374329.pn. and (processor with (segment or cluster))) - (1 (6374329.pn. and snoop53) - (1 (6374329.pn. and sno					
US-PGPUB; EPO; JPO; DERWENT; IMM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IMM TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO;					
27 ((processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3) and (processor with (integrated or asic)) DERWENT; IBM TDB (((processor with (integrated or asic)) DERWENT; IBM TDB (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 and (processor with (integrated or asic)) DERWENT; IBM TDB (USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB (Gad<*19960220) OFFICE OR (Gad<*19960220) OFFICE O	-	34257	processor with (integrated or asic)		2003/12/23 14:36
Compose Comp					
27					
27					
(((external or second or two) near4 cache) with (tag or directory)) and snoop\$3) and (processor with (integrated or asic)) ((((processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3) and ((processor with (integrated or asic)) and (sad<-19960220 or @rlad<-19960220) 2 6374329.pn. 2 6374329.pn. and (processor with (segment or cluster)) - 2 6374329.pn. and (processor with (segment or cluster)) - 3 1 (6374329.pn. and (processor with (segment or cluster)) and snoop\$3 - 4 1 (6374329.pn. and snoop\$3 - 5 2 6374329.pn. and snoop\$3 - 5 3 6374329.pn. and snoop\$3 - 6 3 6374329.pn. and snoop\$3 - 7 1 6 6374329.pn. and snoop\$3 - 8 1 6374329.pn. and snoop\$3 - 9 1 6374329.pn. and snoop\$3 - 1 1 6374329.pn. and snoop\$3 - 1 1 6374329.pn. and snoop\$3 - 1 2 6374329.pn. and snoop\$3 - 1 3 6374329.pn. and snoop\$3 - 1 4 6374329.pn. and snoop\$3 - 1 5 snoop\$3 with ((processor or local) near3 (bus or busses or buses)) - 7 15 (processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 2 003/12/30 17:34 2 003/12/30 17:34 2 003/12/30 17:34 2 003/12/30 17:34 2 003/12/30 17:34 2 003/12/30 17:34		27	(Interest with (segment or sluster)) and	_	2002/12/22 14.26
with (tag or directory)) and snoop\$3 and (processor with (integrated or asic)) DERWENT, IBM_TDB (((external or second or two) near4 cache) US-PGPUB; EPO; JPO; DERWENT, IBM_TDB ((external or second or two) near4 cache) US-PGPUB; EPO; JPO; DERWENT, IBM_TDB ((external or second or two) near4 cache) US-PGPUB; EPO; JPO; DERWENT, IBM_TDB ((external or second or two) near4 cache) US-PGPUB; EPO; JPO; DERWENT, IBM_TDB (US-PGPUB; EPO; JPO; JPO; DERWENT, IBM_TDB (US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	-	2/	((lexternal or second or two) near (seche)	,	2003/12/23 14:36
Cprocessor with (integrated or asic) DERWENT; IRM TOB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TOB USPAT; U				,	
IMP TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-					
11 (((processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory) and snoop\$3 and (processor with (integrated or asic))) and (gad<-19960220 or @rlad<-19960220) 2			(processor with (integrated or asie,)		
(((external or second or two) near4 cache) with (tag or directory) and snoop\$3 and (processor with (integrated or asic))) and (processor with (integrated or asic))) and (external adj1 (cache)) (6374329.pn. and (processor with (segment or cluster)) (6374329.pn. and (processor with (segment or cluster)) (6374329.pn. and (processor with (segment or cluster)) (6374329.pn. and snoop\$3 (637	_	11	(((processor with (segment or cluster)) and		2003/12/30 17:35
with (tag or directory)) and snoop\$3) and (processor with (integrated or asic))) and (processor with (integrated or asic)) and (processor with (integrat					,,
Cprocessor with (integrated or asic)) and (@ad<=19960220 or @rlad<=19960220)				l .	
Comparison of the comparison				DERWENT;	
Comparison of the comparison				IBM_TDB	
EPO; JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM	-	2	6374329.pn.	USPAT;	2003/12/23 15:52
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT				US-PGPUB;	
TBM_TDB					
- 2 6374329.pn. and (processor with (segment or cluster)) - 1 (6374329.pn. and (processor with (segment or cluster)) and snoop\$3 - 1 6374329.pn. and snoop\$3 and (external adj1 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; D					
Cluster) Cluster) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGP				_	0000/10/00 15 50
- 1 (6374329.pn. and (processor with (segment or cluster))) and snoop\$3 - 1 6374329.pn. and snoop\$3 and (external adj1 cache) - 1 6374329.pn. and snoop\$3 and (external adj1 cache) - 1 (processor with (processor or local) near3 (bus or busses or buses)) - 1 (processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 - 1 (101 (processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 - 1 (101 (processor with (segment or cluster)) and (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 - 1 (101 (processor with (segment or cluster)) and (((external or second or two) near4 cache) perwent; processor with (tag or directory)) and snoop\$3 - 1 (101 (processor with (segment or cluster)) and (((external or second or two) near4 cache) perwent; processor with (tag or directory)) and snoop\$3	-	2		•	2003/12/23 15:53
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;			cluster))		
TBM_TDB					
1 (6374329.pn. and (processor with (segment or cluster)) and snoop\$3 - 1 6374329.pn. and snoop\$3 - 1 6374329.pn. and snoop\$3 - 1 6374329.pn. and snoop\$3 and (external adj1 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;					
Cluster)) and snoop\$3	_	1	(6374329 pm and (processor with (segment or		2003/12/30 16:42
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;			cluster))) and snoop\$3		2003/12/30 10.42
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			Ozabboz/// with bitoppy	·-	
1 6374329.pn. and snoop\$3 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
1 6374329.pn. and snoop\$3 1 6374329.pn. and snoop\$3 1 6374329.pn. and snoop\$3 and (external adj1 USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT;	-	1	6374329.pn. and snoop\$3	_	2003/12/30 16:43
- 1 6374329.pn. and snoop\$3 and (external adj1 USPAT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EFO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;				US-PGPUB;	
- 1 6374329.pn. and snoop\$3 and (external adj1 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 715 snoop\$3 with ((processor or local) near3 (bus or busses or buses)) - 101 (processor with (segment or cluster)) and ((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 1 6374329.pn. and snoop\$3 and (external adj1 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 715 snoop\$3 with ((processor or local) near3 (bus or busses or buses)) - 101 (processor with (segment or cluster)) and ((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 1 01 (USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;					
cache) Cache) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; EPO; JPO; DERWENT;	1				
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; With (tag or directory)) and snoop\$3 - 101 (processor with (segment or cluster)) and ((external or second or two) near4 cache) US-PGPUB; EPO; JPO; DERWENT;	-	1		1	2003/12/30 17:31
- 715 snoop\$3 with ((processor or local) near3 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 101 (processor with (segment or cluster)) and ((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; EPO; JPO; DERWENT;			cache)	•	
TIBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
- 715 snoop\$3 with ((processor or local) near3 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT;					
(bus or busses or buses)) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 US-PGPUB; EPO; JPO; DERWENT;	1	315	anoones with //progogger or locally res-s		2002/12/20 17:22
- 101 (processor with (segment or cluster)) and (processor with (segment or cluster)) and ((external or second or two) near4 cache) us-pgpuB; with (tag or directory)) and snoop\$3 EPO; JPO; DERWENT; 2003/12/30 17:34 US-PGPUB; EPO; JPO; DERWENT;	-	/15	• •		2003/12/30 1/:33
DERWENT; IBM_TDB (processor with (segment or cluster)) and USPAT; (((external or second or two) near4 cache) with (tag or directory)) and snoop\$3 DERWENT; US-PGPUB; EPO; JPO; DERWENT;			/ng of nases of nases!!	;	
- 101 (processor with (segment or cluster)) and ((external or second or two) near4 cache) USPAT; US-PGPUB; EPO; JPO; DERWENT;					
- 101 (processor with (segment or cluster)) and USPAT; 2003/12/30 17:34 (((external or second or two) near4 cache) US-PGPUB; EPO; JPO; DERWENT;					
(((external or second or two) near4 cache) US-PGPUB; with (tag or directory)) and snoop\$3 EPO; JPO; DERWENT;	-	101	(processor with (segment or cluster)) and		2003/12/30 17:34
with (tag or directory)) and snoop\$3	1	1			,,
DERWENT;				<u>-</u>	
TRM TDB			•••		
				IBM_TDB	

-	20	(snoop\$3 with ((processor or local) near3	USPAT;	2003/12/30 17:34
		(bus or busses or buses))) and ((processor	US-PGPUB;	
		with (segment or cluster)) and (((external	EPO; JPO;	
		or second or two) near4 cache) with (tag or	DERWENT;	
		directory)) and snoop\$3)	IBM TDB	
-	7	((snoop\$3 with ((processor or local) near3	USPAT;	2003/12/30 17:35
		(bus or busses or buses))) and ((processor	US-PGPUB;	
		with (segment or cluster)) and (((external	EPO; JPO;	
		or second or two) near4 cache) with (tag or	DERWENT;	
		directory)) and snoop\$3)) and	IBM TDB	1
		(@ad<=19960220 or @rlad<=19960220)	-	